

> Tel: +61 3 6282 2000 Fax: +61 3 6245 0970 info@hops.com.au www.hops.com.au

# **TYPE 90 HOP PELLETS SAFETY DATA SHEET**

Products and Manufacturer				
Manufacturer's Name	Telephone No		Email	
Hop Products Australia (HPA)	+ 61 3 6282 2000		info@hops.com.au	
Address 446 Elizabeth Street, North Hobart, Tasmania 7000, Australia				
Chemical Name and Synonyms Pelletised, powdered hops		Trade Name and Synonyms  Hop Pellets (Type 90), kettle hops, kettle pellets		
Chemical Family Desired components include the hop bitter acids and essential oils			Formula N/A	

## **Materials or Components**

Pelletised, powdered cones of the cultivated hop plant (humulus lupulus). Hop pellets are available from many varieties of hops. Used as an ingredient in the brewing of beers.

This SDS applies equally to all varieties.

**Humulones (Alpha Acids) Lupulones (Beta Acids) CAS Number** 26472-41-3 468-20-0

Physical Data			
Form Pelleted powder	Colour Various shades of green		
Aroma Characteristic, typical hoppy, depends on variety	Density (kg/m³) 470 - 700		
Boiling Point (°C) N/A	Specific Gravity (Water = 1) N/A		
Vapour Pressure (mm Hg.) N/A	Volatile by Volume (%) Applicable only to the essential oil fraction which comprises 0.5 – 5.0%		
Vapour Density (AIR = 1) N/A	Evaporation Rate (Water = 1) N/A		
Solubility in Water Insoluble in water	pH N/A		
Flash Point N/A			

Last Modified: 21/07/22, Version 3.0 Page 1 of 4 Next Review: 21/07/25





> Tel: +61 3 6282 2000 Fax: +61 3 6245 0970 info@hops.com.au www.hops.com.au

## Fire and Explosion Hazard Data

## **Extinguishing Media**

Use a dry powder, foam or carbon dioxide. Keep containers and surrounding cool with water spray.

## **Unsuitable Extinguishing Media**

Great care should be taken using water jet/spray.

## **Specific Fire Fighting Procedures**

Fire fighters should wear self-contained positive pressure breathing apparatus.

### **Unusual Fire and Explosion Hazards**

None known.

## **Health Hazard Data**

#### **Threshold Limit Value**

None.

#### **Effects of Overexposure**

None known.

#### **Main Hazards**

None.

#### **Oral Ingestion**

Associated dust may be irritating to mouth and throat.

#### **Eye Contact**

Associated dust may be irritating to eyes.

#### **Skin Contact**

May cause skin irritation.

## **Emergency and First Aid Procedures**

#### **Eye Contact**

Flood eye with plenty of water. If any systems persist obtain medical attention.

#### **Skin Contact**

Brush of excess material and wash skin thoroughly with mild soap and water.

#### Inhalation

Move to fresh air.

#### **Oral Ingestion**

Drink large amounts of water to dilute. Vomiting may occur but should not be induced. Obtain medical attention if symptoms persist.

Last Modified: 21/07/22, Version 3.0 Page 2 of 4





Next Review: 21/07/25



> Tel: +61 3 6282 2000 Fax: +61 3 6245 0970 info@hops.com.au www.hops.com.au

## **Accidental Spill or Leak Procedures**

#### **Personal Protection**

Wear appropriate protective clothing.

## **Environmental Precautions**

Do not allow product to enter drains, watercourses, or discharge onto the ground.

## Steps To Be Taken In Case Material Is Released Or Spilled

Normal clean-up procedures as for any agricultural commodity.

## **Waste Disposal Methods**

Biodegradable material acceptable at landfill sites.

## **Special Protection Information**

## **Respiratory Protection (specify type)**

If any danger of generating dust use facemask.

#### **Protective Gloves**

Normally not required

#### **Eye Protection**

If in danger of generation dust use facemask or goggles.

### **Other Protective Equipment**

None.

## **Engineering Controls**

Provide adequate ventilation.

## Handling and Storage

## **Storage Temperature**

0-5°C (32-41°F). To guarantee quality avoid heat, moisture, strong odours during storage. Pellets should not be exposed to temperatures above 20°C (68°F) since it is possible that gases are formed from hop constituents. The resulting pressure increase may cause bursting of the foils. Consequently the pellets are exposed to air and oxidation takes place resulting in a considerable deterioration of quality. Suitable storage containers are thick gauge laminated foil bags, stainless steel and lacquered mild steel.

## **Stability and Reactivity**

Hop constituents oxidise in contact with air, no hazardous reactivity known. If originally sealed packages are stored at temperatures above 20°C (68°F), gas formation is possible. Combustion will generate oxides of carbon.

## **Toxological Information**

No data available.

Supported by a long history of safe use in brewing and in accordance with US FDA 21 CFR 182.2, hop pellets and hop extracts are generally recognised as safe (GRAS).

Last Modified: 21/07/22, Version 3.0 Page 3 of 4



BarthHaas ( 🍪

Next Review: 21/07/25



> Tel: +61 3 6282 2000 Fax: +61 3 6245 0970 info@hops.com.au www.hops.com.au

## **Ecological Information**

The product is all natural and biodegradable.

Not expected to bioaccumulate.

### **Disposal Considerations**

**Product Disposal** – Dispose of in accordance with all applicable local and national regulations Container Disposal – Labels should not be removed from containers until they have been cleaned. Contaminated containers should not be treated as household waste. Containers should be cleaned using appropriate methods and then re-used or disposed of by landfill or incineration as appropriate.

#### **Transport Information**

**RID** UN-No. Class

Non-hazardous for transport. Non-hazardous for transport. Non-hazardous for transport.

**Recommended Transport Conditions** Quickest possible transport at temperatures below

20°C (68°F).

## **Regulatory Information**

**Labelling According to EC Directives** 

**Einecs Listing** R-phrases S-phrases

Not listed. N/A N/A

### **Notice from Hop Products Australia**

The information in this Material Data Safety Sheet is correct to the best of our knowledge. This information herein is furnished without warranty of any kind. This information should be used only as a supplement to information already in your possession concerning this product. The determination of whether and under what conditions the product should be used by your employees is yours to make. We do not accept any liability for loss, injury or damage that may result from its use.

Last Modified: 21/07/22, Version 3.0

Page 4 of 4



Next Review: 21/07/25

